PRINTED: 05/31/2012 FORM APPROVED

Indiana State Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:		(X2) MULTIPLE CONSTRUCTION			(X3) DATE SURVEY COMPLETED	
				A. BUILDING B. WING				
		005009		B. WING		03/	05/2012	
NAME OF PROVIDER OR SUPPLIER			STREET ADDR	RESS, CITY, STA	TE, ZIP CODE			
CLARK MEMORIAL HOSPITAL			1220 MISSOURI AVE JEFFERSONVILLE, IN 47130					
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FU REGULATORY OR LSC IDENTIFYING INFORMATION			ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE	
S 000	000 INITIAL COMMENTS			S 000				
	This visit was for the investigation of one (1) State complaint.							
	Complaint number: IN00100914 Substantiated: No deficiencies related to allegations are cited. Date of survey: 3/5/12 Facility number: 005009 Surveyor: Jennifer Hembree, RN Public Health Nurse Surveyor Clark Memorial Hospital is in compliance with 410 IAC 15-1.5-8, Physical environment, 410 IAC 15-1.6-2, Emergency services and 410 IAC 15-1.5-2, Infection control, Hospital Licensure Rules.							
	QA: claughlin 03/16/	12						

Indiana State Department of Health

TITLE (X6) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE